

July 2015 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P15-789	2015-16-HG	436680	6212417	225/-60	West Zone	Hit Stope		68.20	99.06	30.86	2.05	2.05	6.7	0.35
							incl.	68.20	79.00	10.80	5.17	5.17	14.1	0.65
							incl.	72.60	75.80	3.20	13.07	13.07	33.2	1.77
P15-790	2015-16-HG	436680	6212417	225/-55	West Zone	Hit Stope		59.23	97.50	38.27	0.90	0.90	10.1	0.13
							incl.	60.25	88.25	28.00	1.20	1.20	12.3	0.16
							incl.	61.25	65.75	4.50	2.44	2.44	43.7	0.47
P15-791	2015-16-HG	436680	6212417	225/-50	West Zone			54.30	151.60	97.30	0.77	0.77	4.0	0.16
							incl.	54.30	99.00	44.70	1.40	1.40	5.3	0.27
							incl.	54.30	60.30	6.00	8.70	8.70	21.6	0.95
							incl.	55.30	56.30	1.00	23.70	23.70	41.6	0.99
P15-792	2015-10	436650	6212510	315/-85	Main Zone			303.30	353.00	49.70	1.55	1.55	7.6	0.47
							incl.	311.30	323.00	11.70	5.09	5.09	12.5	0.38
							incl.	314.80	317.55	2.75	12.06	12.06	26.1	0.67
P15-793	2015-10	436650	6212510	135/-50	Main Zone			219.95	228.78	8.83	3.61	3.61	12.0	0.16
							incl.	219.95	221.22	1.27	21.70	21.70	45.3	0.51
							also	247.80	277.65	29.85	0.51	0.51	17.4	0.26
							incl.	247.80	250.98	3.18	0.87	0.87	92.4	0.04
P15-794	2015-10	436650	6212510	135/-75	Main Zone			6.10	14.02	7.92	0.56	0.56	6.0	0.43
							also	275.15	291.00	15.85	2.06	2.06	4.7	0.15
							incl.	283.00	285.00	2.00	9.30	9.30	7.0	0.19
							also	316.55	327.70	11.30	0.44	0.44	10.7	0.22
P-15-795	2015-10	436650	6212510	135/-85	Main Zone			36.70	47.80	11.10	0.30	0.30	8.9	0.12
							also	343.65	356.30	12.65	0.50	0.50	6.3	0.15
							incl.	354.90	356.30	1.40	2.67	2.67	17.5	0.21
P15-796	2015-16-HG	436680	6212417	225/-75	West Zone	Hit Stope		82.80	136.00	53.20	0.85	0.85	6.8	0.52
							incl.	88.50	91.00	2.50	3.11	3.11	5.4	0.58
							incl.	131.00	133.50	2.50	9.02	9.02	15.7	0.62
							also	164.50	175.35	10.85	0.48	0.48	8.8	0.11
P15-797	2015-17-HG	436656	6212425	225/-70	West Zone	Hit Stope	NSV							
P15-798	2015-17-HG	436656	6212425	225/-65	West Zone	Hit Stope		35.36	39.74	4.38	3.13	3.13	280.0	2.86
							incl.	38.07	39.74	1.67	7.30	7.30	698.0	6.56
P15-799	2015-17-HG	436656	6212425	225/-60	West Zone	Hit Stope		30.05	33.40	3.35	1.27	1.27	37.2	2.37

July 2015 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %	
P15-800	2015-17-HG	436656	6212425	225/-55	West Zone	Hit Stope	NSV								
P15-801	2015-18-HG	436696	6212408	225/-70	West Zone	Hit Stope		83.20	112.50	29.30	4.79	3.89*	22.0	1.28	
							incl.	83.20	87.68	4.48	7.78	7.78	15.7	0.82	
							incl.	83.20	85.20	2.00	14.75	14.75	15.9	0.56	
							incl.	103.60	108.00	4.40	19.34	13.32*	51.0	2.88	
							incl.	105.60	106.65	1.05	59.50	34.29*	70.2	1.22	
P15-802	2015-18-HG	436696	6212408	225/-65	West Zone			71.45	88.90	17.45	0.69	0.69	2.9	0.16	
						Hit Stope	incl.	71.45	80.37	8.92	1.18	1.18	3.5	0.05	
							also	107.85	129.00	21.15	0.61	0.61	4.6	0.54	
							incl.	111.35	114.1	2.75	2.54	2.54	16.4	2.80	
incl. 155.80-160.30 (4.50 m)stope-0 value								also	143.15	162.90	19.75	7.29	5.49*	8.2	0.57
							incl.	148.65	153.15	4.50	30.87	22.96*	24.3	0.95	
							incl.	148.65	150.15	1.50	54.50	34.29*	27.6	0.40	
							incl.	151.65	153.15	1.50	37.80	34.29*	40.4	1.73	
P15-803	2015-18-HG	436696	6212408	225/-60	West Zone			67.70	115.44	47.74	1.15	1.15	12.2	0.83	
						Hit Stope	incl.	93.57	112.90	19.33	2.49	2.49	25.9	1.93	
							incl.	106.90	108.40	1.50	12.40	12.40	26.9	4.89	
P15-804	2015-18-HG	436696	6212408	225/-55	West Zone			69.50	142.94	73.44	0.76	0.76	7.2	0.27	
							incl.	120.90	135.20	14.30	1.86	1.86	34.5	0.33	
							incl.	124.00	130.00	6.00	3.71	3.71	15.4	0.41	
							also	157.00	162.35	5.35	44.97	7.23*	75.4	0.30	
							incl.	159.00	160.07	1.07	223.00	34.29*	147.0	0.86	
P15-805	2015-18-HG	436696	6212408	225/-50	West Zone	Hit Stope	NSV								
P15-806	2015-12	436690	6212555	135/-65	Main Zone			207.05	210.20	3.15	0.81	0.81	2.7	0.01	
							also	259.30	284.92	25.62	0.71	0.71	4.1	0.16	
							incl.	263.80	277.56	13.76	1.04	1.04	5.2	0.21	
							incl.	276.15	277.56	1.41	3.05	3.05	8.0	0.31	
P15-807	2015-12	436690	6212555	135/-72	Main Zone	Hit Stope		60.75	71.78	11.03	0.49	0.49	7.8	0.14	
							also	235.10	293.10	58.00	0.77	0.77	7.2	0.30	
							incl.	244.11	246.96	2.85	5.04	5.04	36.4	0.22	
							incl.	286.90	293.10	6.20	2.79	2.79	18.2	1.61	
							incl.	291.60	293.10	1.50	9.81	9.81	26.4	0.26	
P15-808	2015-12	436690	6212555	135/-85	Main Zone			72.96	80.50	7.54	2.09	2.09	54.4	0.52	
							also	292.00	340.50	48.50	1.14	1.14	7.1	0.61	
							incl.	316.20	318.90	2.70	2.75	2.75	3.9	0.05	
							incl.	331.25	336.00	4.75	2.05	2.05	29.1	4.64	

July 2015 Ascot Resources Premier Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P15-809	2015- OB-1	436922	6212926	126/-51	northern Light	Hit Stope		180.50	210.50	30.00	2.76	2.76	10.0	1.79
							incl.	181.50	199.50	18.00	4.33	4.33	15.4	2.89
							incl.	181.50	183.50	2.00	12.25	12.25	20.2	2.45
							incl.	195.13	198.57	3.44	8.53	8.53	55.9	12.29
P15-810	2015- OB-1	436922	6212926	126/-70	northern Light	Hit Stope		164.44	165.75	1.31	36.80	34.29*	7.0	0.23
P15-811	2015- OB-1	436922	6212926	126/-85	northern Lights			255.15	267.00	11.85	1.61	1.61	3.5	0.41
							incl.	262.90	265.95	3.05	4.35	4.35	6.5	1.02
							also	293.75	300.25	6.50	0.78	0.78	8.5	1.47
							also	317.70	341.70	24.00	0.49	0.49	2.2	0.12
P15-812	2015-08	436950	6212560	135/-65	Main Zone	Hit Stope		65.75	68.00	2.25	0.30	0.30	353.6	0.56
							also	164.10	170.10	6.00	1.29	1.29	58.9	0.07
P15-813	2015-08	436950	6212560	135/-85	Main Zone			145.20	150.60	5.40	3.10	3.10	126.7	0.18
							incl.	149.20	150.60	1.40	11.00	11.00	448.0	0.47
							also	204.60	271.90	67.30	1.35	1.35	12.6	0.44
							incl.	218.30	253.00	34.70	2.06	2.06	6.7	0.19
							incl.	250.00	253.00	3.00	13.75	13.75	13.0	0.36
P15-814	2015-08	436950	6212560	315/-85	Main Zone			217.60	324.05	106.45	1.65	1.62*	6.6	0.25
							incl.	270.00	314.60	44.60	3.44	3.36*	10.8	0.54
							incl.	275.10	283.05	7.95	8.59	8.15*	25.9	1.08
							incl.	275.10	276.00	0.90	23.10	23.10	36.30	0.61
							incl.	282.24	283.05	0.81	38.60	34.29*	123.0	7.03
P15-815	2015-13	436710	6212575	135/-60	Main Zone			230.60	242.00	11.40	2.13	2.13	7.2	0.09
							incl.	230.60	231.60	1.00	23.00	23.00	66.5	0.94
								266.65	293.60	26.95	1.04	1.04	9.4	0.49
							incl.	269.10	282.10	13.00	1.74	1.74	10.9	0.34
							incl.	269.10	270.70	1.60	6.40	6.40	23.3	0.98
P15-816	2015-13	436710	6212575	135/-75	Main Zone			283.60	321.20	37.60	1.00	1.00	4.2	0.37
							incl.	296.15	313.00	16.85	1.83	1.83	6.1	0.60
							incl.	311.00	313.00	2.00	6.95	6.95	15.9	1.73
P15-817	2015-13	436710	6212575	135/-85	Main Zone			279.43	340.80	61.37	1.55	1.55	3.9	0.09
							incl.	319.50	340.80	21.30	3.75	3.75	5.5	0.18
							incl.	323.85	325.30	1.45	13.75	13.75	6.6	0.11