

Ascot Resources June 2015 Premier Mine Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P15-748	2015-01	437024	6212443	135/-50	Upper Main Zone			43.26	57.00	13.74	0.58	0.58	31.2	0.03
							incl.	43.26	50.50	7.24	0.93	0.93	35.5	0.05
P15-749	2015-01	437024	6212443	135/-70	Upper Main Zone	Hit Stope		41.70	92.58	50.88	0.32	0.32	23.7	0.02
							incl.	41.70	59.00	17.30	0.65	0.65	24.1	0.03
							incl.	46.00	53.89	7.89	1.24	1.24	33.3	0.05
							incl.	50.90	53.89	2.99	2.53	2.53	67.9	0.05
P15-750	2015-01	437024	6212443	135/-85	Upper Main Zone			57.30	197.51	140.21	0.45	0.45	22.8	0.05
							incl.	60.00	68.00	8.00	1.55	1.55	148.7	0.15
							incl.	64.00	68.00	4.00	2.66	2.66	263.7	0.25
							incl.	64.00	65.00	1.00	5.92	5.92	611.0	0.55
							also	100.50	112.00	11.50	0.81	0.81	51.0	0.03
							also	160.69	177.00	16.31	1.22	1.22	23.4	0.10
P15-751	2015-01	437024	6212443	135/-75	Upper Main Zone			48.38	65.00	16.62	7.82	3.99*	229.4	0.17
							incl.	52.32	57.00	4.68	27.02	13.40*	722.6	0.59
P15-752	2015-01	437024	6212443	135/-80	Upper Main Zone	Hit Stope		52.32	53.95	1.63	73.40	34.29*	1880.0	1.64
							also	92.50	117.40	24.90	0.20	0.20	13.5	0.04
							also	135.00	197.21	48.46	0.41	0.41	38.1	0.06
							incl.	155.00	161.00	6.00	1.75	1.75	261.2	0.33
							incl.	159.00	161.00	2.00	4.63	4.63	659.0	0.67
							incl.	123.00	129.00	6.00	0.58	0.58	31.2	0.03
P15-753	2015-01	437024	6212443	135/-77	Upper Main Zone	Hit Stope		123.00	125.00	2.00	1.23	1.23	66.5	0.01
							incl.	123.00	126.66	3.66	0.99	0.99	49.1	0.17
P15-754	2015-03	436807	6212452	142/-50	Upper Main Zone	Hit Stope		119.27	126.66	7.39	0.57	0.57	30.3	0.10
							incl.	123.00	126.66	3.66	0.99	0.99	49.1	0.17
P15-755	2015-03	436807	6212452	142/-65	Upper Main Zone	Hit Stope		145.00	177.10	32.10	0.65	0.65	9.0	0.09
							incl.	155.00	157.00	2.00	3.82	3.82	12.20	0.15
P15-756	2015-03	436807	6212452	142/-88	Upper Main Zone	Hit Stope		145.38	173.72	28.34	0.81	0.81	8.2	0.06
							incl.	172.00	173.72	1.72	9.19	9.19	11.0	0.19
P15-757	2015-04	436837	6212492	135/-85	Upper Main Zone			171.00	173.00	2.00	3.73	3.73	43.0	0.79
							also	186.86	197.51	10.65	0.86	0.86	3.0	0.02
							incl.	191.00	195.00	4.00	1.91	1.91	3.2	0.03
							also	212.00	254.00	42.00	0.68	0.68	7.8	0.25
							incl.	214.00	220.00	6.00	1.62	1.62	3.7	0.08
							incl.	241.77	252.00	10.23	0.87	0.87	15.9	0.51
P15-758	2015-04	436837	6212492	135/-65	Upper Main Zone			217.84	263.86	46.02	0.67	0.67	5.3	0.18
							incl.	247.83	260.24	12.41	1.51	1.51	8.7	0.41
							incl.	247.83	250.00	2.17	3.32	3.32	27.4	1.41
P15-758	2015-04	436837	6212492	135/-65	Upper Main Zone		185.29	221.00	35.71	0.93	0.93	18.3	0.25	

Ascot Resources June 2015 Premier Mine Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %	
								incl.	187.00	196.85	9.85	2.33	2.33	52.0	0.72
								incl.	192.82	194.38	1.56	5.68	5.68	98.0	4.24
P15-759	2015-04	436837	6212492	135/-50	Upper Main Zone			62.80	63.30	0.50	4.52	4.52	72.5	0.95	
								also	166.50	200.00	33.50	1.14	1.14	16.3	0.34
								incl.	181.20	184.00	2.80	2.30	2.30	58.7	2.47
								incl.	191.50	193.00	1.50	7.73	7.73	18.0	0.09
								also	220.14	223.40	3.26	0.66	0.66	43.9	0.14
P15-760	2015-04	436837	6212492	315/-85	Main Zone			226	226.47	0.47	1.17	1.17	101.0	3.63	
								also	255.90	316.30	60.40	0.96	0.96	4.5	0.40
								incl.	284.80	316.30	31.50	1.65	1.65	7.1	0.74
								incl.	305.70	314.80	9.10	2.83	2.83	9.3	1.15
								incl.	313.30	314.80	1.50	11.75	11.75	12.0	0.17
P15-761	2015-02	437057	6212478	135/-75	Upper Main Zone			49.50	69.00	19.50	0.24	0.24	21.0	0.02	
P15-762	2015-02	437057	6212478	135/-50	Upper Main Zone			47.00	87.50	40.50	0.26	0.26	21.9	0.05	
								incl.	67.00	70.62	3.62	1.14	1.14	55.1	0.30
								also	116.50	129.00	12.50	0.28	0.28	15.3	0.04
P15-763	2015-02	437057	6212478	315/-89	Upper Main Zone	Hit Stope		81.09	85.00	3.91	0.54	0.54	179.1	0.02	
P15-764	2015-05	436870	6212513	135/-80	Main Zone			199.00	236.45	37.45	1.97	1.97	35.5	1.38	
								incl.	202.00	231.32	29.32	2.29	2.29	42.1	1.69
								incl.	202.00	207.13	5.13	8.49	8.49	50.6	4.68
								incl.	205.00	206.00	1.00	18.10	18.10	59.2	2.70
P15-765	2015-02	437057	6212478	315/-75	Main Zone			195.00	307.24	112.24	1.08	1.08	10.2	0.52	
								incl.	213.00	235.00	22.00	1.99	1.99	23.3	2.11
								incl.	213.00	221.89	8.89	2.43	2.43	33.2	3.80
								incl.	216.00	219.00	3.00	4.58	4.58	48.9	6.28
								also	279.90	297.50	17.60	2.50	2.50	5.4	0.09
								incl.	295.00	297.50	2.50	5.51	5.51	11.2	0.11
P15-766	2015-05	436870	6212513	135/-65	Main Zone			177.73	249.33	71.60	0.98	0.98	12.7	0.37	
								incl.	211.00	220.00	9.00	4.67	4.67	32.4	1.73
								incl.	219.00	220.00	1.00	25.70	25.70	36.70	0.43
P15-767	2015-05	436870	6212513	135/-50	Main Zone	Hit Stope		164.00	171.37	7.37	0.79	0.79	70.7	0.02	
P15-768	2015-10	436650	6212510	225/-80	West Zone			35.71	39.98	4.27	0.42	0.42	8.3	0.14	
								also	277.50	314.00	36.50	0.55	0.55	18.0	0.26
								incl.	296.00	314.00	18.00	0.87	0.87	32.5	0.37
								incl.	306.36	314.00	7.64	1.32	1.32	43.4	0.33
P15-769	2015-10	436650	6212510	225/-70	West Zone			8.00	38.00	30.00	0.47	0.47	5.7	0.17	
								incl.	10.50	13.00	2.50	3.85	3.85	30.3	1.23

Ascot Resources June 2015 Premier Mine Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
							also	178.92	201.44	22.52	0.69	0.69	10.8	0.15
							incl.	190.50	193.00	2.50	3.96	3.96	11.1	0.45
							also	230.00	285.00	55.00	0.47	0.47	6.7	0.28
							incl.	244.00	248.50	4.50	1.15	1.15	16.5	1.28
P15-770	2015-10	436650	6212510	225/-55	West Zone			10.50	15.50	5.00	0.69	0.69	10.3	0.90
							also	171.50	235.00	63.50	0.97	0.97	4.3	0.14
							incl.	175.00	197.40	22.40	1.47	1.47	6.1	0.21
							incl.	179.00	180.00	1.00	14.90	14.90	10.2	0.12
							incl.	232.70	235.00	2.30	9.12	9.12	22.4	0.10
P15-771	2015-05	436870	6212513	135/-73	Main Zone			134.00	153.98	19.98	0.34	0.34	35.5	0.15
							incl.	149.94	153.00	3.06	0.89	0.89	37.2	0.37
							also	188.40	230.30	41.90	0.82	0.82	32.7	1.04
							incl.	210.00	229.00	19.00	1.36	1.36	54.0	1.67
							incl.	210.00	214.00	4.00	2.74	2.74	70.3	2.16
P15-772	2015-05	436870	6212513	135/-60	Main Zone			174.32	224.50	50.18	0.42	0.42	14.2	0.13
							incl.	174.32	202.00	27.68	0.58	0.58	20.6	0.20
							incl.	174.32	181.00	6.68	1.40	1.40	49.8	0.55
P15-773	2015-06	436895	6212524	135/-89	Main Zone			222.00	267.00	45.00	0.63	0.63	52.9	1.19
							incl.	222.00	224.00	2.00	0.74	0.74	737.0	1.38
							incl.	248.00	258.00	10.00	0.99	0.99	34.6	2.70
							also	272.16	277.18	5.02	2.18	2.18	4.3	0.48
							also	284.19	306.93	22.74	0.89	0.89	3.7	0.39
P15-774	2015-06	436895	6212524	135/-80	Main Zone			213.02	252.20	39.18	0.58	0.58	13.3	0.22
							incl.	228.30	241.50	13.20	1.26	1.26	3.5	0.36
							incl.	228.30	236.50	8.20	1.61	1.61	5.7	0.47
P15-775	2015-06	436895	6212524	135/-70	Main Zone			123.80	130.00	6.20	1.23	1.23	93.8	0.10
							incl.	123.80	126.00	2.20	3.13	3.13	134.0	0.14
							also	186.00	208.00	22.00	0.62	0.62	11.6	0.16
							incl.	197.00	200.45	3.45	1.05	1.05	20.2	0.27
P15-776	2015-06	436895	6212524	135/-60	Main Zone	Hit Stope	NSV							
P15-777	2015-10	436650	6212510	240/-65	West Zone			13.00	17.00	4.00	2.83	2.83	21.5	2.35
							also	80.00	93.00	13.00	0.12	0.12	78.2	0.08
							also	184.74	207.76	23.02	1.58	1.58	4.5	0.15
							incl.	189.00	200.08	11.08	2.74	2.74	6.8	0.18
							incl.	189.00	194.00	5.00	4.71	4.71	12.4	0.31
							also	223.00	285.59	62.59	0.61	0.61	7.7	0.18
							incl.	254.85	269.50	14.65	1.27	1.27	6.1	0.25
							incl.	254.85	259.00	4.15	2.17	2.17	6.5	0.18
P15-778	2015-10	436650	6212510	240/-55	West Zone			11.00	17.05	6.05	0.64	0.64	10.2	1.17

Ascot Resources June 2015 Premier Mine Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %	
								also	181.97	208.50	26.53	0.48	0.48	5.30	0.19
								incl.	187.08	190.00	2.92	2.49	2.49	19.0	0.17
								also	225.02	245.61	20.59	0.42	0.42	2.5	0.24
P15-779	2015-10	436650	6212510	255/-80	West Zone			268.91	322.00	53.09	2.09	2.09	23.9	0.66	
								incl.	297.14	317.00	19.86	4.97	4.97	55.8	1.49
								incl.	301.00	309.00	8.00	7.31	7.31	91.7	1.42
								incl.	301.00	302.12	1.12	10.05	10.05	16.5	1.22
								incl.	308.00	309.00	1.00	21.50	21.50	59.0	1.94
P15-780	2015-10	436650	6212510	255/-70	West Zone			10.25	15.74	5.49	0.56	0.56	16.4	0.18	
								also	198.15	234.00	35.85	0.44	0.44	5.3	0.64
								incl.	230.00	232.00	2.00	1.79	1.79	9.7	1.75
								also	281.22	303.00	21.78	0.54	0.54	9.6	0.64
								incl.	288.90	301.00	12.10	0.75	0.75	14.0	1.05
P15-781	2015-10	436650	6212510	255/-60	West Zone			198.03	227.50	29.47	0.82	0.82	3.7	0.47	
								incl.	201.69	215.49	13.80	1.54	1.54	6.3	0.76
								incl.	208.00	212.00	4.00	3.73	3.73	8.9	0.40
								also	267.50	303.00	35.50	0.72	0.72	4.4	0.17
								incl.	284.00	301.48	17.48	1.24	1.24	6.5	0.25
								incl.	298.00	301.48	3.48	4.48	4.48	23.6	1.05
P15-782	2015-10	436650	6212510	255/-50	West Zone			14.02	17.82	3.80	0.94	0.94	27.0	2.59	
								also	181.16	224.15	42.99	1.36	1.36	6.2	0.31
								incl.	187.85	220.70	32.85	1.60	1.60	6.9	0.29
								incl.	213.20	220.70	7.50	4.20	4.20	4.8	0.20
								incl.	217.20	219.20	2.00	11.75	11.75	5.2	0.20
P15-783	2015-09	436976	6212574	135/-89	Main Zone			206.00	268.49	62.49	0.79	0.79	29.2	0.92	
								incl.	227.96	268.49	40.53	1.08	1.08	41.5	1.36
								incl.	238.50	258.00	19.50	1.25	1.25	40.3	1.61
								incl.	252.00	258.00	6.00	1.85	1.85	24.5	2.55
P15-784	2015-09	436976	6212574	135/-80	Main Zone			175.44	249.33	73.99	1.34	1.34	14.5	0.43	
								incl.	199.00	246.00	47.00	1.70	1.70	11.7	0.42
								incl.	199.00	217.00	18.00	2.74	2.74	19.4	0.88
								incl.	206.00	207.97	1.97	10.75	10.75	82.4	0.27
								incl.	215.00	217.00	2.00	6.86	6.86	7.0	0.18
P15-785	2015-09	436976	6212574	135/-60	Main Zone	Hit Stope		162.45	167.03	4.58	3.78	3.78	131.81	0.05	
P15-786	2015-09	436976	6212574	135/-50	Main Zone	Hit Stope		154.80	158.72	3.92	24.95	16.26*	1476.6	0.52	
								incl.	154.80	155.72	0.92	71.30	34.29*	3770.0	1.43
P15-787	2015-16-HG	436680	6212417	225/-70	West Zone			79.00	175.00	96.00	1.69	1.50*	18.3	0.84	
								incl.	121.00	165.55	44.55	2.93	2.52*	33.5	1.57
								incl.	144.00	150.29	6.29	17.03	14.09*	190.7	8.83

Ascot Resources June 2015 Premier Mine Drill Results

Hole #	Pad #	UTM E	UTM N	azimuth/dip	Zone	Comment	From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %	
							incl.	147.86	149.06	1.20	49.70	34.29*	162.0	10.10
P15-788	2015-16-HG	436680	6212417	225/-65	West Zone		76.83	166.90	90.07	5.11	2.40*	9.5	0.49	
							incl.	79.93	86.00	7.07	13.77	9.30*	31.7	1.17
							incl.	80.20	81.47	1.27	59.20	34.29*	124.0	2.85
							also	137.00	161.68	24.68	13.67	6.03*	15.9	0.67
						incl. 153.05-157.95 (4.90m) stope-0 value)	incl.	149.65	150.15	0.50	101.50	34.29*	89.1	1.98
							incl.	152.15	153.05	0.90	56.30	34.29*	53.2	8.95
							incl.	160.25	161.15	0.90	189.50	34.29*	152.0	0.81

(*) samples cut to 1opt or 34.29 g/t Au.