

Ascot Resources Ltd.- Premier Drill Results-August 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1350	2017P-12	437235	6212960	660m	135/-89	Ben Subzone			233.05	338.00	104.95	0.65	0.65	3.5	0.15
								incl.	276.00	277.56	1.56	4.11	4.11	13.9	0.31
								incl.	298.00	318.00	20.00	1.60	1.60	5.1	0.28
								incl.	298.00	304.00	6.00	2.51	2.51	3.2	0.16
P17-1367	2017NL-17	437045	6213110	525m	135/-65	New Subzone NL			262.00	359.00	97.00	0.94	0.94	4.2	0.27
								incl.	281.50	327.00	45.50	1.47	1.47	5.2	0.33
								incl.	281.50	303.00	21.50	1.77	1.77	7.6	0.54
								incl.	289.50	293.50	4.00	4.28	4.28	18.5	1.89
								incl.	325.00	327.00	2.00	10.13	10.13	10.7	0.64
								incl.	325.00	326.00	1.00	17.30	17.30	18.0	0.91
P17-1368	2017NL-17	437045	6213110	525m	135/-81	NL-Main			301.00	346.86	45.86	0.42	0.42	5.2	0.16
								incl.	318.91	345.00	26.09	0.64	0.64	3.2	0.22
								incl.	320.00	322.00	2.00	2.88	2.88	7.9	0.93
P17-1369	2017P-17	437171	6212676	662m	135/-55	NE Premier			159.50	173.00	13.50	0.33	0.33	8.5	0.02
								incl.	159.50	162.50	3.00	1.11	1.11	30.4	0.07
P17-1370	2017P-17	437171	6212676	662m	135/-70	NE Premier	Abandoned		NSV						
P17-1371	2017P-17	437171	6212676	662m	135/-85	NE Premier			208.76	278.00	69.24	0.15	0.15	5.3	0.08
								incl.	254.00	278.00	24.00	0.26	0.26	7.0	0.16
P17-1372	2017P-23	437310	6213055	662m	135/-52	Upper NL Main			202.80	214.10	11.30	0.88	0.88	8.3	0.41
								incl.	202.80	203.80	1.00	6.92	6.92	31.4	0.99
								also	261.00	280.20	19.20	1.16	1.16	7.7	0.13
								incl.	275.00	280.20	5.20	2.03	2.03	19.2	0.10
								incl.	279.00	280.20	1.20	5.63	5.63	24.7	0.27
P17-1373	2017P-23	437310	6213055	662m	135/-67	Upper NL Main			219.20	245.50	26.30	0.32	0.32	4.1	0.14
								also	253.00	298.04	45.04	0.61	0.61	3.9	0.19
								incl.	279.76	292.00	12.24	1.27	1.27	4.6	0.39
P17-1374	2017P-23	437310	6213055	662m	135/-89	New Subzone NL			237.00	279.56	42.56	1.13	1.13	10.3	0.10
								incl.	241.50	249.00	7.50	4.32	4.32	43.8	0.12
								incl.	241.50	242.50	1.00	23.00	23.00	217.0	0.71
								also	291.17	313.21	22.04	0.62	0.62	2.7	0.06
								incl.	297.00	305.00	8.00	1.17	1.17	2.8	0.05
P17-1375	2017P-21	437125	6212850	640m	135/-59	Ben Subzone			171.69	254.00	82.31	0.85	0.85	7.2	0.25
								incl.	188.00	236.00	48.00	1.25	1.25	11.0	0.37
								incl.	188.00	192.50	4.50	2.27	2.27	16.6	0.23
								incl.	207.60	236.00	28.40	1.41	1.41	13.1	0.54
								incl.	234.00	236.00	2.00	7.98	7.98	4.5	0.16
P17-1376	2017P-21	437125	6212850	640m	135/-66	Ben Subzone			192.98	274.00	81.02	0.62	0.62	5.2	0.10

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	207.36	251.00	43.64	0.88	0.88	7.2	0.13
								incl.	231.00	249.00	18.00	1.25	1.25	7.6	0.15
								incl.	247.00	249.00	2.00	4.14	4.14	3.2	0.06
P17-1377	2017P-21	437125	6212850	640m	135/-73	Ben Subzone			204.27	255.81	51.54	0.74	0.74	8.6	0.34
								incl.	227.06	247.00	19.94	1.45	1.45	17.2	0.78
								incl.	235.00	240.00	5.00	2.40	2.40	47.1	1.12
								also	277.00	281.00	4.00	1.60	1.60	3.8	0.19
P17-1378	2017P-21	437125	6212850	640m	135/-88	Ben Subzone			206.5	279.97	73.47	3.07	1.72*	6.9	0.17
								incl.	206.50	217.50	11.00	17.03	7.71*	31.4	0.56
								incl.	215.30	217.50	2.20	80.90	34.29*	137.5	2.43
								incl.	215.30	216.50	1.20	92.90	34.29*	137.0	2.79
P17-1379	2017NL-08	436975	6213045	525m	135/-50	New Subzone NL			269.00	325.00	56.00	0.65	0.65	4.1	0.13
								incl.	281.00	304.44	23.44	0.99	0.99	3.8	0.09
								incl.	281.00	283.00	2.00	3.36	3.36	3.1	0.13
								incl.	303.05	304.44	1.39	8.42	8.42	32.8	0.62
P17-1380	2017NL-08	436975	6213045	525m	135/-57	New Subzone NL			230.10	246.03	15.93	0.29	0.29	2.1	0.17
								also	286.24	294.00	7.76	0.28	0.28	5.4	0.33
								also	304.00	340.50	36.50	0.66	0.66	4.6	0.22
								incl.	312.00	328.00	16.00	1.10	1.10	5.4	0.22
								incl.	326.00	328.00	2.00	3.85	3.85	6.5	0.31
P17-1381	2017NL-08	436975	6213045	525m	135/-67	New Subzone NL			252.00	330.00	78.00	0.95	0.95	5.4	0.50
								incl.	257.47	273.40	15.93	3.42	3.42	15.9	1.85
								incl.	258.47	262.50	4.03	8.94	8.94	44.1	4.86
								incl.	260.37	261.50	1.13	25.50	25.50	117.0	7.13
P17-1382	2017NL-08	436975	6213045	525m	135/-76	NL-Main			265.42	338.30	72.88	0.54	0.54	4.4	0.34
								incl.	277.12	323.00	45.88	0.67	0.67	5.5	0.45
								incl.	277.12	278.4	1.28	4.31	4.31	104.0	8.43
								incl.	296.75	303.00	6.25	1.23	1.23	3.3	0.37
								incl.	318.45	323.00	4.55	1.30	1.30	6.4	0.65
P17-1383	2017NL-08	436975	6213045	525m	135/-83	NL-Main			273.00	347.50	74.50	0.57	0.57	3.5	0.29
								incl.	273.00	310.00	37.00	0.79	0.79	4.2	0.32
								incl.	273.00	297.00	24.00	0.89	0.89	4.8	0.37
P17-1384	2017NL-08	436975	6213045	525m	135/-89	NL-Main			260.00	343.81	83.81	0.91	0.91	2.7	0.24
								incl.	260.00	303.00	43.00	1.58	1.58	3.0	0.29
								incl.	277.80	303.00	25.20	2.16	2.16	4.2	0.42
								incl.	277.80	278.80	1.00	19.65	19.65	38.0	4.83
								incl.	301.00	303.00	2.00	13.00	13.00	5.3	0.34
P17-1385	2017PL-08	437090	6212760	620m	135/-81	NL-Main			222.00	230.00	8.00	0.58	0.58	25.3	0.17
								also	246.00	252.00	6.00	0.81	0.81	3.0	0.13

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1386	2017P-25	437245	6212985	655m	135/-62	NL-Main			211.30	268.00	56.70	0.96	0.96	16.5	0.58
								incl.	211.30	219.50	8.20	1.58	1.58	77.1	2.34
								incl.	246.00	256.00	10.00	2.30	2.30	5.4	0.11
								incl.	248.00	253.00	5.00	3.45	3.45	7.0	0.17
								incl.	252.00	253.00	1.00	6.67	6.67	14.6	0.05
P17-1387	2017P-25	437245	6212985	655m	135/-70	NL-Main	Hit Adit		145.18	151.10	5.92	0.43	0.43	14.2	0.26
								also	201.90	210.00	8.10	1.43	1.43	1.8	0.07
								incl.	208.00	210.00	2.00	5.16	5.16	2.3	0.12
P17-1388	2017P-25	437245	6212985	655m	135/-75	Ben Subzone			131.65	311.00	179.35	1.72	1.30*	6.3	0.11
								incl.	220.00	292.00	72.00	3.82	2.78*	6.0	0.12
								incl.	220.00	269.00	49.00	5.19	3.66*	6.7	0.08
								incl.	220.00	231.00	11.00	18.93	12.12*	9.5	0.10
								incl.	220.00	222.00	2.00	54.10	34.29*	27.8	0.32
								incl.	229.35	231.00	1.65	55.70	34.29*	17.1	0.02
								incl.	268.00	269.00	1.00	32.70	32.70	10.4	0.02
P17-1389	2017P-25	437245	6212985	655m	135/-83	Ben Subzone			194.00	226.00	32.00	0.32	0.32	2.2	0.17
								incl.	200.40	206.70	6.30	0.80	0.80	4.5	0.30
								also	249.00	357.00	108.00	0.68	0.68	3.1	0.16
								incl.	275.96	343.00	67.04	0.81	0.81	3.3	0.18
								incl.	275.96	291.45	15.49	1.35	1.35	6.4	0.31
								incl.	287.00	289.00	2.00	2.59	2.59	3.1	0.08
P17-1390	2017P-25	437245	6212985	655m	135/-89	Ben Subzone			246.50	364.85	118.35	0.70	0.70	3.0	0.11
								incl.	256.10	281.00	22.90	1.32	1.32	4.6	0.08
								incl.	256.10	257.10	1.00	28.30	28.30	96.9	1.04
P17-1391	2017P-18	437171	6212720	661m	135/-80	NE Premier			230.00	274.00	44.00	1.18	1.18	7.8	0.32
								incl.	234.00	241.85	7.85	2.24	2.24	19.7	0.70
								incl.	235.00	238.00	3.00	4.15	4.15	26.9	0.60
								incl.	268.00	274.00	6.00	4.66	4.66	7.0	0.28
								incl.	270.00	272.00	2.00	11.80	11.80	13.3	0.45
P17-1392	2017P-18	437171	6212720	661m	135/-89	NE Premier			245.91	272.00	26.09	0.56	0.56	22.6	0.75
								incl.	245.91	256.00	10.09	1.15	1.15	46.7	1.45
								incl.	255.00	256.00	1.00	3.86	3.86	225.0	5.48
P17-1393	2017P-22	437150	6212915	650m	135/-60	Ben Subzone			211.00	270.00	59.00	1.84	1.84	4.3	0.18
								incl.	227.16	255.87	28.71	3.57	3.57	6.2	0.29
								incl.	228.00	232.00	4.00	11.40	11.40	13.0	0.61
								incl.	228.00	229.00	1.00	42.30	42.30	11.8	0.66
								incl.	247.00	253.58	6.58	7.26	7.26	6.5	0.24
								incl.	250.00	252.00	2.00	21.20	21.20	9.2	0.27
P17-1394	2017P-22	437150	6212915	650m	135/-65	NL-Main	Hit Adit		208.50	239.27	30.77	0.33	0.33	3.4	0.12

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	226.00	233.00	7.00	0.92	0.92	7.2	0.18
								incl.	232.00	233.00	1.00	2.32	2.32	8.8	0.43
P17-1395	2017NL-21	437217	6213224	570m	135/-45	NL-Main			232.00	265.70	33.70	0.43	0.43	14.6	0.05
								incl.	238.00	248.00	10.00	0.89	0.89	27.4	0.08
								also	282.10	327.00	44.90	0.27	0.27	2.2	0.13
P17-1396	2017NL-21	437217	6213224	570m	135/-52	NL-Main	Abandoned		NSV						
P17-1397	2017NL-21	437217	6213224	570m	135/-59	NL-Main			270.43	298.80	28.37	1.35	1.35	2.4	0.08
								incl.	270.43	276.00	5.57	5.69	5.69	3.4	0.08
								incl.	270.43	272.00	1.57	13.00	13.00	5.2	0.07
P17-1398	2017NL-21	437217	6213224	570m	135/-65	NL-Main			256.81	270.10	13.29	0.52	0.52	2.9	0.16
. (*) samples cut to 1opt or 34.29 g/t Au.															