

Ascot Resources Ltd.- Premier Drill Results-July 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1291	2017P-09	437140	6212880	630m	135/-50	NL Main			180.50	218.35	37.85	0.77	0.77	13.8	0.40
								incl.	184.50	199.00	14.50	1.08	1.08	16.1	0.06
								incl.	203.00	209.14	6.14	0.95	0.95	30.1	1.86
								also	258.00	280.42	22.42	0.28	0.28	3.9	0.12
P17-1292	2017P-09	437140	6212880	630m	135/-59	NL Main	Rods Broke		198.23	219.31	21.08	0.44	0.44	4.2	0.13
P17-1293	2017P-09	437140	6212880	630m	135/-67	NL Main			203.00	289.00	86.00	0.60	0.60	8.0	0.42
								incl.	228.08	252.59	24.51	1.30	1.30	15.7	0.93
								incl.	230.30	241.50	11.20	1.82	1.82	29.3	1.80
P17-1294	2017NL-20	437149	6213259	548m	135/-65	NL Main			258.80	293.18	34.38	0.55	0.55	3.6	0.21
								incl.	287.00	289.00	2.00	2.85	2.85	3.4	0.04
P17-1295	2017NL-20	437149	6213259	548m	135/-77	NL Main			255.50	288.34	32.84	0.62	0.62	4.0	0.08
								incl.	270.05	273.10	3.05	3.67	3.67	13.5	0.05
P17-1296	2017NL-20	437149	6213259	548m	135/-83	NL Main			262.73	290.68	27.95	0.25	0.25	3.3	0.26
								incl.	276.00	284.51	8.51	0.51	0.51	3.7	0.35
P17-1297	2017P-01	436544	6212694	445m	135/-50	602			253.20	302.60	49.40	6.71	3.37*	13.7	0.86
								incl.	268.90	296.60	27.70	11.80	5.83*	22.0	1.43
								incl.	285.45	292.10	6.65	43.60	18.76*	59.3	3.41
								incl.	285.45	288.45	3.00	83.30	28.23*	81.50	1.45
								incl.	286.45	287.45	1.00	199.50	34.29*	145.00	0.69
P17-1298	2017P-01	436544	6212694	445m	135/-76	602			280.55	314.00	33.45	2.40	2.40	42.0	2.67
								incl.	285.35	289.75	4.40	9.60	9.60	14.9	0.54
								incl.	286.45	287.55	1.10	23.90	23.90	27.6	1.10
								incl.	308.00	314.00	6.00	3.07	3.07	54.7	5.58
P17-1299	2017P-14	438380	6212980	680m	135/-50	BC Silver			132.58	138.19	5.61	0.30	0.30	18.5	0.40
								also	161.00	199.47	38.47	0.28	0.28	2.4	0.01
								also	213.94	220.63	6.69	0.46	0.46	6.1	0.02
								also	277.90	301.00	23.10	0.28	0.28	4.8	0.03
P17-1300	2017P-14	438380	6212980	680m	135/-65	BC Silver			172.50	221.50	49.00	0.28	0.28	4.5	0.04
								also	268.51	287.45	18.94	0.45	0.45	9.6	0.04
P17-1301	2017P-16	438460	6213120	680m	135/-50	Sebakwe			NSV						

Ascot Resources Ltd.- Premier Drill Results-July 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1302	2017P-16	438460	6213120	680m	45/-64	Sebakwe			159.00	172.30	13.30	0.39	0.39	28.1	0.08
								also	193.1	212.5	18.17	0.24	0.24	7.1	0.12
P17-1303	2017P-16	438460	6213120	680m	135/-89	Sebakwe			217.80	235.25	17.45	0.35	0.35	15.1	0.20
P17-1304	2017P-14	438380	6212980	680m	135/-85	BC Silver	Hit Stope		NSV						
P17-1305	2017NL-23	437240	6213300	567m	135/-50	NL Main			223.71	284.56	60.85	0.49	0.49	4.3	0.15
								incl.	228.00	233.00	5.00	2.51	2.51	16.3	0.53
								also	292.00	302.50	10.50	0.46	0.46	4.2	0.22
P17-1306	2017P-01	436544	6212694	445m	135/-82	602			290.20	316.08	27.88	2.86	2.75*	11.2	0.89
								incl.	296.40	311.70	15.30	4.81	4.62*	16.7	1.26
								incl.	296.40	299.35	2.95	17.27	16.29*	36.8	2.13
								incl.	297.40	298.4	1.00	37.20	34.29*	57.9	2.73
P17-1307	2017NL-23	437240	6213300	567m	135/-57	NL Main			239.00	284.99	45.99	0.57	0.57	2.2	0.16
								incl.	269.30	278.00	8.70	1.56	1.56	2.5	0.16
								incl.	269.30	271.92	2.62	3.55	3.55	2.3	0.10
P17-1308	2017NL-23	437240	6213300	567m	135/-64	NL Main			214.60	223.48	8.88	0.30	0.30	2.3	0.30
P17-1309	2017NL-23	437240	6213300	567m	135/-73	NL Main			NSV						
P17-1310	2017NL-23	437240	6213300	567m	45/-50	Sebakwe			193.00	252.50	59.50	0.69	0.69	4.4	0.26
								incl.	193.00	212.10	19.10	1.40	1.40	5.8	0.41
								incl.	193.00	198.60	5.60	2.92	2.92	10.9	0.59
								incl.	197.20	198.60	1.40	6.56	6.56	18.0	0.32
P17-1311	2017NL-23	437240	6213300	567m	45/-65	Sebakwe			173.50	224.00	50.50	0.40	0.40	4.6	0.26
								incl.	189.81	204.66	14.85	0.80	0.80	6.0	0.31
P17-1312	2017NL-18	437080	6213165	540m	135/-45	NL Main			287.25	355.09	67.84	1.07	1.07	3.9	0.13
								incl.	288.75	297.50	8.75	2.09	2.09	10.5	0.23
								incl.	288.75	289.85	1.10	10.60	10.60	47.9	0.63
								incl.	334.50	350.50	16.00	2.25	2.25	4.0	0.10
								incl.	345.50	350.50	5.00	5.08	5.08	4.3	0.15
								incl.	349.50	350.50	1.00	17.95	17.95	6.6	0.17
P17-1313	2017NL-18	437080	6213165	540m	135/-56	NL Main			168.55	174.30	5.75	0.76	0.76	2.8	0.04
								also	254.50	346.86	92.36	2.08	1.68*	4.4	0.13
								incl.	278.95	321.40	42.45	3.88	3.02*	4.0	0.16

Ascot Resources Ltd.- Premier Drill Results-July 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	309.50	321.40	11.90	10.31	7.25*	7.5	0.31
							VG.	incl.	313.65	314.65	1.00	70.70	34.29*	15.7	0.38
P17-1314	2017NL-18	437080	6213165	540m	135/-70	NL Main			280.20	338.00	57.80	0.83	0.83	4.1	0.21
								incl.	280.20	297.00	16.80	1.52	1.52	6.6	0.33
								incl.	285.00	287.00	2.00	3.75	3.75	8.0	0.49
P17-1315	2017NL-18	437080	6213165	540m	135/-76	NL Main			231.50	339.50	108.00	0.94	0.94	3.0	0.20
								incl.	301.20	333.00	31.80	2.00	2.00	4.1	0.29
								incl.	301.20	311.00	9.80	4.66	4.66	6.0	0.36
								incl.	304.00	310.00	6.00	5.56	5.56	5.7	0.39
P17-1316	2017NL-18	437080	6213165	540m	135/-83	NL Main			249.05	255.43	6.38	2.43	2.43	7.0	0.58
								incl.	250.50	252.00	1.50	5.93	5.93	14.7	1.04
								also	270.70	338.30	69.30	0.49	0.49	3.1	0.16
								incl.	296.50	335.00	38.50	0.62	0.62	2.9	0.16
								incl.	296.50	299.00	2.50	2.75	2.75	7.0	0.17
P17-1317	2017NL-18	437080	6213165	540m	135/-89	NL Main			256.20	264.10	7.90	0.73	0.73	4.2	0.56
								also	292.00	328.25	36.25	0.84	0.84	4.7	0.24
								incl.	295.00	308.50	13.50	1.26	1.26	5.2	0.29
								incl.	295.00	297.00	2.00	3.88	3.88	5.0	0.20
P17-1318	2017NL-19	437115	6213210	545m	135/-45	NL Main			285.31	358.14	72.83	0.82	0.82	4.2	0.15
								incl.	316.00	320.50	4.50	2.89	2.89	12.3	0.21
								incl.	341.25	358.14	16.89	1.50	1.50	4.0	0.10
								incl.	341.25	342.25	1.00	10.95	10.95	23.1	0.40
P17-1319	2017NL-19	437115	6213210	545m	135/-53	NL Main			273.00	368.20	95.20	1.47	1.47	6.3	0.25
								incl.	287.90	322.00	34.10	2.86	2.86	9.8	0.34
								incl.	287.90	300.00	12.10	6.73	6.73	19.6	0.78
								incl.	287.90	294.65	6.75	11.10	11.10	32.1	1.22
								incl.	293.00	294.65	1.65	30.60	30.60	77.8	3.32
P17-1320	2017NL-19	437115	6213210	545m	135/-58	NL Main			263.40	269.50	6.10	1.65	1.65	2.8	0.15
								incl.	265.50	267.50	2.00	2.68	2.68	4.5	0.14
								also	284.83	342.46	57.63	2.10	2.10	7.0	0.27
								incl.	292.00	312.00	20.00	4.84	4.84	13.7	0.63
								incl.	298.10	303.00	4.90	15.79	15.79	36.4	1.58
								incl.	298.10	299.00	0.90	30.30	30.30	50.2	2.39
P17-1321	2017NL-19	437115	6213210	545m	135/-63	NL Main			278.65	323.00	44.35	0.59	0.59	3.6	0.26

Ascot Resources Ltd.- Premier Drill Results-July 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	288.50	293.00	4.50	3.31	3.31	2.7	0.07
								incl.	291.00	293.00	2.00	6.70	6.70	2.2	0.03
P17-1322	2017NL-19	437115	6213210	545m	135/-68	NL Main			277.25	318.00	40.75	0.92	0.92	4.0	0.21
								incl.	284.50	309.50	25.00	1.19	1.19	4.8	0.29
								incl.	284.50	289.26	4.76	4.00	4.00	12.8	1.01
								incl.	284.50	285.5	1.00	8.03	8.03	30.2	2.43
P17-1323	2017NL-19	437115	6213210	545m	135/-75	NL Main			255.36	304.21	48.85	1.89	1.89	5.8	0.22
								incl.	264.98	275.00	10.02	3.08	3.08	11.8	0.59
								incl.	264.98	271.50	6.52	4.24	4.24	13.2	0.76
								incl.	266.00	267.50	1.50	9.91	9.91	4.9	0.11
								incl.	297.48	304.21	6.73	7.83	7.83	10.8	0.16
								incl.	297.48	299.50	2.02	17.60	17.60	26.4	0.05
								also	313.56	322.85	9.29	1.20	1.20	9.8	0.56
								incl.	313.56	317.50	3.94	2.48	2.48	4.0	0.29
P17-1324	2017NL-19	437115	6213210	545m	135/-80	NL Main			212.45	215.50	3.05	2.75	2.75	5.2	0.55
								incl.	214.00	215.50	1.50	4.36	4.36	5.1	0.55
								also	258.24	273.10	14.86	0.28	0.28	3.60	0.16
								also	281.05	304.90	23.85	0.69	0.69	5.0	0.24
P17-1325	2017P-14	438380	6212980	680m	315/-84	NL Main			208.50	246.27	37.77	0.21	0.21	6.7	0.13
								also	276.40	319.53	43.13	0.50	0.50	7.0	0.18
								incl.	312.50	319.53	7.03	1.94	1.94	4.7	0.17
								incl.	312.50	315.00	2.50	3.53	3.53	4.8	0.27
P17-1326	2017P-09	437140	6212880	630m	135/-74	NL Main			219.00	276.45	57.45	0.62	0.62	4.2	0.32
								incl.	247.00	269.00	22.00	1.03	1.03	3.8	0.25
								incl.	252.00	253.00	1.00	3.63	3.63	16.3	0.53
P17-1327	2017P-09	437140	6212880	630m	135/-80	NL Main			200.51	289.00	88.49	0.56	0.56	2.5	0.14
								incl.	200.51	206.50	5.99	4.39	4.39	7.0	0.15
								incl.	200.51	202.5	1.99	9.55	9.55	10.2	0.34
P17-1328	2017P-16	438460	6213120	680m	45/-80	Sebakwe			221.00	226.50	5.50	0.33	0.33	8.8	0.11
P17-1329	2017P-11	437190	6212920	650m	135/-77	NL Main			221.00	297.40	76.40	0.67	0.67	3.3	0.21
								incl.	251.00	273.00	22.00	1.66	1.66	3.2	0.18
								incl.	257.00	263.94	6.94	3.73	3.73	2.5	0.15
								incl.	261.50	263.94	2.44	5.90	5.90	3.3	0.09

Ascot Resources Ltd.- Premier Drill Results-July 2017

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1330	2017P-11	437190	6212920	650m	135/-65	NL Main			197.85	266.25	68.40	0.79	0.79	6.1	0.19
								incl.	197.85	223.00	25.15	1.34	1.34	6.4	0.12
								incl.	210.00	212.56	2.56	5.18	5.18	6.3	0.28
(*) samples cut to 1opt or 34.29 g/t Au.								incl.	221.90	223.00	1.10	9.05	9.05	56.9	0.65