

**Ascot Resources Ltd.-Premier Drill Results-June 13, 2017**

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %	
P17-1268	2016NL-10	437060	6213140	535m	135/-72	NL Main			228.00	241.00	13.00	0.36	0.36	8.2	0.11	
									incl.	228.00	230.00	2.00	1.20	1.20	3.0	0.33
									also	280.00	347.10	67.10	0.79	0.79	5.2	0.21
									incl.	296.00	315.00	19.00	1.39	1.39	5.1	0.25
									incl.	307.80	308.80	1.00	6.68	6.68	7.2	0.27
P17-1269	2016NL-10	437060	6213140	535m	135/-78	NL Main			270.20	341.25	71.05	8.54	0.79*	6.8	0.19	
							VG.		incl.	312.40	328.55	16.15	36.31	2.23*	20.6	0.23
									incl.	312.40	312.90	0.50	1135.00	34.29*	577.0	0.10
P17-1270	2016NL-13	437085	6213020	595m	135/-75	NL Main			296.20	355.00	58.80	0.66	0.66	2.8	0.09	
									incl.	302.00	315.50	13.50	1.13	1.13	2.5	0.11
P17-1271	2016NL-13	437085	6213020	595m	135/-85	NL Main			299.50	309.00	9.50	0.68	0.68	1.9	0.08	
									also	331.00	398.00	67.00	2.27	1.15*	4.8	0.15
									also	341.00	373.00	32.00	4.45	2.11*	5.4	0.15
									also	341.00	342.50	1.50	84.2	34.29*	59.6	0.13
P17-1272	2017P-04	436420	6212530	430m	45/-50	609 & 602			68.00	78.50	10.50	0.42	0.42	64.3	0.40	
									also	365.00	370.60	5.60	0.43	0.43	7.4	0.94
P17-1274	2017P-04	436420	6212530	430m	45/-67	609 & 602			124.05	158.00	33.95	1.34	1.34	6.7	0.98	
									incl.	127.50	151.00	23.50	1.73	1.73	7.7	1.32
									incl.	127.50	132.50	5.00	2.85	2.85	7.0	0.47
							VG.		also	304.30	344.40	40.10	0.72	0.72	3.4	0.33
									incl.	324.50	339.50	15.00	1.21	1.21	6.5	0.24
									incl.	336.50	339.50	3.00	2.20	2.20	13.7	1.00
P17-1275	2017NL-14	436910	6212890	530m	135/-45	NL Main			179.86	268.50	88.64	1.88	1.88	6.1	0.26	
									incl.	179.86	216.00	36.14	2.33	2.33	7.1	0.30
									incl.	179.86	190.00	12.14	4.02	4.02	8.9	0.48
									incl.	184.00	186.00	2.00	12.35	12.35	21.8	0.96
									also	240.50	262.60	22.10	3.06	3.06	8.6	0.40
									incl.	245.00	254.00	9.00	5.98	5.98	13.7	0.76
									incl.	246.50	248.00	1.50	19.65	19.65	33.9	1.31
P17-1276	2017NL-14	436910	6212890	530m	135/-51	NL Main	Hit Stope		166.24	202.69	36.45	1.21	1.21	5.9	0.21	
									incl.	166.24	168.46	2.22	11.05	11.05	32.8	1.48
P17-1277	2017NL-14	436910	6212890	530m	135/-73	NL Main	Hit Stope		NSV							

**Ascot Resources Ltd.-Premier Drill Results-June 13, 2017**

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1278	2017P-04	436420	6212530	430m	55/-65	609 & 602			125.30	167.30	42.00	1.25	1.25	3.0	0.29
								incl.	153.30	165.30	12.00	3.68	3.68	3.8	0.22
								incl.	163.30	165.30	2.00	17.60	17.60	10.9	0.18
								also	175.80	180.25	4.45	4.81	4.81	7.5	0.32
								incl.	177.00	178.25	1.25	12.90	12.90	8.9	0.17
								also	265.00	273.65	8.65	0.57	0.57	2.4	0.51
								also	305.30	322.50	17.20	0.73	0.73	2.4	0.18
								incl.	307.30	309.30	2.00	2.60	2.60	3.2	0.47
								also	357.35	367.00	9.65	0.71	0.71	2.1	0.20
								incl.	357.35	359.35	2.00	2.22	2.22	3.9	0.66
P17-1279	2017NL-14	436910	6212890	530m	135/-80	NL Main	Hit Stope		NSV						
P17-1280	2017NL-14	436910	6212890	530m	135/-88	NL Main	Hit Stope		NSV						
P17-1281	2017P-06	437085	6212500	650m	045/-48	Premier Main			214.00	215.19	1.19	0.72	0.72	57.2	0.02
P17-1282	2017P-06	437085	6212500	650m	045/-55	Premier Main			158.30	204.5	45.19	0.67	0.67	23.7	0.04
								incl.	162.00	174.00	12.00	1.91	1.91	19.9	0.04
								incl.	162.00	163.68	1.68	8.85	8.85	15.6	0.02
								also	224.36	258.00	33.64	1.01	1.01	21.0	0.67
								incl.	243.00	247.20	3.60	7.37	7.37	124.6	5.45
								incl.	246.06	247.20	1.14	10.85	10.85	104.0	4.18
P17-1283	2017P-06	437085	6212500	650m	045/-65	Premier Main	Hit Stope		130.15	163.68	33.53	1.17	1.17	47.6	0.03
								incl.	151.00	163.68	12.68	2.13	2.13	86.2	0.04
								incl.	161.00	163.68	2.68	6.00	6.00	227.7	0.08
P17-1284	2017P-06	437085	6212500	650m	045/-75	Premier Main	Hit Stope		NSV						
P17-1285	2017NL-10	437058	16213144	534m	135/-84	NL Main			253.90	256.40	2.50	1.75	1.75	48.8	2.35
								also	310.50	343.50	33.00	1.05	1.05	3.7	0.20
								incl.	327.70	338.60	10.90	1.75	1.75	3.9	0.25
								incl.	334.40	335.80	1.40	6.86	6.86	8.4	0.23
P17-1286	2017NL-10	437058	16213144	534m	135/-89	NL Main			292.30	342.00	49.70	0.49	0.49	2.4	0.18
								incl.	307.50	335.00	27.50	0.71	0.71	3.1	0.27
P17-1287	2017P-04	436420	6212530	430m	055/-74	609 & 602			96.50	113.90	17.40	2.05	2.05	3.8	0.11
								incl.	101.05	104.9	3.85	8.58	8.58	11.3	0.16
								incl.	104.00	104.90	0.90	12.65	12.65	13.2	0.46
								also	122.00	183.50	61.50	0.61	0.61	3.7	0.20

**Ascot Resources Ltd.-Premier Drill Results-June 13, 2017**

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	162.90	183.50	20.60	1.28	1.28	6.5	0.26
								incl.	173.50	179.50	6.00	3.24	3.24	5.2	0.41
								also	219.00	298.00	79.00	0.84	0.84	13.1	0.32
								incl.	265.65	281.00	19.70	1.52	1.52	7.8	0.65
								incl.	270.25	273.80	3.55	4.30	4.30	9.0	0.41
P17-1288	2017P-07	437151	6212645	663m	135/-62	Premier Main			162.60	191.20	28.60	0.20	0.20	8.7	0.04
								also	229.10	256.00	26.90	0.23	0.23	10.1	0.03
P17-1289	2017P-07	437151	6212645	663m	135/-77	Premier Main	Hit Stope		NSV						
P17-1290	2017NL-10	437058	6213144	534m	135/-62	NL Main			266.00	355.40	89.40	1.31	1.31	4.5	0.24
								incl.	291.60	345.00	53.40	2.00	2.00	5.1	0.33
								incl.	291.60	311.70	20.10	3.96	3.96	9.9	0.60
								incl.	297.50	298.50	1.00	12.00	12.00	12.4	0.34
								incl.	309.45	310.65	1.20	28.70	28.70	84.6	6.21
(*) samples cut to 1opt or 34.29 g/t Au.															