

Ascot Resources Ltd.-Premier Drill Results-September 2017

| Hole # | Pad # | UTM E | UTM N | Elevation | azimuth/dip | Zone | | From m's | To m's | Width m's | Au (g/t) | Au Cut* (g/t) | Ag (g/t) | Zn % |
|----------|----------|--------|---------|-----------|-------------|----------------|-------|----------|--------|-----------|----------|---------------|----------|------|
| P17-1411 | 2017P-26 | 437280 | 6213037 | 660m | 135/-74 | Ben Subzone | | 248.90 | 326.50 | 77.60 | 6.71 | 4.33* | 6.0 | 0.30 |
| | | | | | | | incl. | 251.00 | 274.00 | 23.00 | 20.15 | 12.14* | 12.8 | 0.66 |
| | | | | | | | incl. | 259.97 | 274.00 | 14.03 | 32.43 | 19.30* | 15.2 | 0.45 |
| | | | | | | | incl. | 259.97 | 262.00 | 2.03 | 30.80 | 30.80 | 49.2 | 0.46 |
| | | | | | | | incl. | 264.00 | 266.00 | 2.00 | 31.00 | 31.00 | 16.2 | 0.62 |
| | | | | | | | incl. | 268.00 | 270.00 | 2.00 | 124.50 | 34.29* | 16.9 | 0.20 |
| | | | | | | | incl. | 272.00 | 274.00 | 2.00 | 36.20 | 34.29* | 12.7 | 0.57 |
| P17-1412 | 2017P-26 | 437280 | 6213037 | 660m | 135/-81 | NL Main | | 260.00 | 345.00 | 85.00 | 0.41 | 0.41 | 3.4 | 0.30 |
| | | | | | | | incl. | 291.80 | 314.50 | 22.70 | 0.71 | 0.71 | 4.1 | 0.41 |
| | | | | | | | incl. | 291.80 | 302.80 | 11.00 | 1.04 | 1.04 | 5.2 | 0.58 |
| P17-1413 | 2017P-26 | 437280 | 6213037 | 660m | 135/-89 | New Subzone NL | | 266.75 | 339.40 | 72.65 | 0.67 | 0.67 | 2.8 | 0.14 |
| | | | | | | | incl. | 266.75 | 270.45 | 3.70 | 2.54 | 2.54 | 8.7 | 0.91 |
| | | | | | | | incl. | 266.75 | 267.75 | 1.00 | 6.67 | 6.67 | 27.6 | 3.32 |
| | | | | | | | incl. | 308.80 | 330.80 | 22.00 | 1.13 | 1.13 | 2.9 | 0.15 |
| | | | | | | | incl. | 325.20 | 330.8 | 5.60 | 2.68 | 2.68 | 4.5 | 0.22 |
| | | | | | | | incl. | 329.20 | 330.8 | 1.60 | 6.00 | 6.00 | 3.6 | 0.20 |
| P17-1414 | 2017P-22 | 437150 | 6212915 | 650m | 135/-75 | Ben Subzone | | 199.20 | 295.00 | 95.80 | 0.76 | 0.76 | 6.3 | 0.19 |
| | | | | | | | incl. | 228.70 | 245.03 | 16.33 | 2.53 | 2.53 | 15.1 | 0.17 |
| | | | | | | | incl. | 228.70 | 237.96 | 9.26 | 4.01 | 4.01 | 21.6 | 0.25 |
| | | | | | | | incl. | 235.00 | 237.96 | 2.96 | 8.69 | 8.69 | 58.3 | 0.46 |
| P17-1415 | 2017P-22 | 437150 | 6212915 | 650m | 135/-80 | Ben Subzone | | 166.00 | 195.00 | 29.00 | 2.21 | 2.21 | 10.1 | 0.22 |
| | | | | | | | incl. | 172.00 | 186.00 | 14.00 | 4.08 | 4.08 | 5.8 | 0.14 |
| | | | | | | | incl. | 183.50 | 186.00 | 2.50 | 20.00 | 20.00 | 5.2 | 0.11 |
| | | | | | | | also | 223.35 | 326.00 | 102.65 | 1.42 | 1.42 | 3.6 | 0.25 |
| | | | | | | | incl. | 223.35 | 236.09 | 12.74 | 2.94 | 2.94 | 8.4 | 0.37 |
| | | | | | | | incl. | 233.00 | 234.50 | 1.50 | 15.10 | 15.10 | 39.1 | 1.90 |
| | | | | | | | incl. | 270.00 | 299.41 | 29.41 | 3.14 | 3.14 | 4.9 | 0.52 |
| | | | | | | | incl. | 270.00 | 285.00 | 15.00 | 5.42 | 5.42 | 4.2 | 0.18 |
| | | | | | | | incl. | 283.00 | 285.00 | 2.00 | 34.00 | 34.00 | 9.0 | 0.08 |
| P17-1416 | 2017P-13 | 437265 | 6213015 | 660m | 135/-79 | NL Main | | 236.00 | 328.10 | 92.10 | 0.61 | 0.61 | 4.0 | 0.19 |
| | | | | | | | incl. | 239.10 | 265.00 | 25.90 | 1.07 | 1.07 | 7.0 | 0.09 |
| | | | | | | | incl. | 253.40 | 254.50 | 1.10 | 3.47 | 3.47 | 21.5 | 0.76 |
| P17-1417 | 2017P-13 | 437265 | 6213015 | 660m | 135/-84 | NL Main | | 242.20 | 348.00 | 105.80 | 0.44 | 0.44 | 2.5 | 0.09 |
| | | | | | | | incl. | 281.00 | 327.00 | 46.00 | 0.79 | 0.79 | 3.4 | 0.15 |
| | | | | | | | incl. | 294.00 | 295.00 | 1.00 | 2.49 | 2.49 | 11.0 | 0.08 |

Ascot Resources Ltd.-Premier Drill Results-September 2017

| Hole # | Pad # | UTM E | UTM N | Elevation | azimuth/dip | Zone | | From m's | To m's | Width m's | Au (g/t) | Au Cut* (g/t) | Ag (g/t) | Zn % |
|----------|-----------|--------|---------|-----------|-------------|----------------|-------|----------|--------|-----------|----------|---------------|----------|------|
| P17-1418 | 2017P-13 | 437265 | 6213015 | 660m | 135/-89 | NL Main | | 277.00 | 378.50 | 101.50 | 0.51 | 0.51 | 3.8 | 0.13 |
| | | | | | | | incl. | 295.00 | 301.00 | 6.00 | 1.10 | 1.10 | 6.2 | 0.32 |
| | | | | | | | incl. | 313.70 | 337.00 | 23.30 | 0.87 | 0.87 | 2.9 | 0.14 |
| | | | | | | | incl. | 319.00 | 321.00 | 2.00 | 3.69 | 3.69 | 5.3 | 0.43 |
| P17-1419 | 2017SB-04 | 437127 | 6213809 | 606m | 135/-68 | Sebakwe Recce | | 328.76 | 360.68 | 31.92 | 0.67 | 0.67 | 3.3 | 0.2 |
| | | | | | | | incl. | 340.82 | 351.00 | 10.18 | 1.32 | 1.32 | 1.8 | 0.13 |
| | | | | | | | incl. | 345.00 | 347.00 | 2.00 | 2.93 | 2.93 | 1.4 | 0.11 |
| | | | | | | | also | 371.00 | 414.73 | 43.73 | 0.24 | 0.24 | 2.7 | 0.04 |
| | | | | | | | incl. | 398.00 | 406.97 | 8.97 | 0.55 | 0.55 | 3.6 | 0.08 |
| P17-1420 | 2017SB-04 | 437127 | 6213809 | 606m | 135/-50 | Sebakwe Recce | | 296.00 | 344.89 | 48.89 | 0.67 | 0.67 | 3.1 | 0.10 |
| | | | | | | | incl. | 319.16 | 339.00 | 19.84 | 1.36 | 1.36 | 3.0 | 0.14 |
| | | | | | | | incl. | 337.00 | 339.00 | 2.00 | 10.80 | 10.80 | 13.0 | 0.58 |
| P17-1421 | 2017P-22 | 437150 | 6212915 | 650m | 135/-86 | Ben Subzone | | 252.30 | 328.57 | 76.27 | 0.44 | 0.44 | 10.2 | 0.24 |
| | | | | | | | incl. | 304.00 | 326.00 | 22.00 | 0.64 | 0.64 | 19.6 | 0.11 |
| P17-1422 | 2017NL-31 | 437125 | 6213242 | 545m | 135/-71 | New Subzone NL | | 226.00 | 282.20 | 56.20 | 3.72 | 1.67* | 5.3 | 0.21 |
| | | | | | | | incl. | 256.00 | 282.20 | 26.20 | 7.74 | 3.35* | 10.1 | 0.34 |
| | | | | | | | incl. | 278.00 | 280.00 | 2.00 | 91.80 | 34.29* | 63.3 | 2.05 |
| | | | | | | | also | 292.20 | 294.26 | 2.06 | 5.89 | 5.89 | 2.7 | 0.06 |
| P17-1423 | 2017NL-31 | 437125 | 6213242 | 545m | 135/-61 | NL Upper | | 260.10 | 273.70 | 13.60 | 1.26 | 1.26 | 3.9 | 0.11 |
| | | | | | | | incl. | 268.80 | 271.05 | 2.25 | 5.10 | 5.10 | 2.4 | 0.08 |
| | | | | | | | incl. | 269.80 | 271.05 | 1.25 | 8.30 | 8.30 | 2.4 | 0.09 |
| P17-1424 | 2017P-27 | 437350 | 6213060 | 665m | 135/-68 | NL Upper | | 211.00 | 288.00 | 77.00 | 0.28 | 0.28 | 4.6 | 0.16 |
| | | | | | | | incl. | 266.00 | 284.00 | 18.00 | 0.52 | 0.52 | 3.4 | 0.19 |
| P17-1425 | 2017P-27 | 437350 | 6213060 | 665m | 135/-76 | NL Upper | | 206.00 | 262.50 | 56.50 | 0.29 | 0.29 | 9.1 | 0.14 |
| | | | | | | | incl. | 239.00 | 249.00 | 10.00 | 0.51 | 0.51 | 7.3 | 0.32 |
| P17-1426 | 2017P-28 | 437380 | 6213065 | 665m | 135/-60 | Ben Subzone | | 181.00 | 195.85 | 14.85 | 0.37 | 0.37 | 18.5 | 0.13 |
| | | | | | | | also | 223.85 | 284.10 | 60.25 | 0.62 | 0.62 | 4.4 | 0.11 |
| | | | | | | | incl. | 250.00 | 282.50 | 32.50 | 0.96 | 0.96 | 3.1 | 0.19 |
| | | | | | | | incl. | 270.00 | 282.50 | 12.50 | 1.67 | 1.67 | 4.2 | 0.30 |
| | | | | | | | incl. | 281.00 | 282.50 | 1.50 | 9.41 | 9.41 | 5.8 | 0.05 |
| P17-1427 | 2017P-28 | 437380 | 6213065 | 665m | 135/-70 | Ben Subzone | | 200.00 | 217.00 | 17.00 | 0.60 | 0.60 | 6.5 | 0.57 |
| | | | | | | | incl. | 201.60 | 204.00 | 2.40 | 2.07 | 2.07 | 18.5 | 1.18 |

Ascot Resources Ltd.-Premier Drill Results-September 2017

| Hole # | Pad # | UTM E | UTM N | Elevation | azimuth/dip | Zone | | From m's | To m's | Width m's | Au (g/t) | Au Cut* (g/t) | Ag (g/t) | Zn % |
|----------|-----------|--------|---------|-----------|-------------|-------------------|-------|----------|--------|-----------|----------|---------------|----------|------|
| | | | | | | | also | 239.00 | 256.96 | 17.96 | 0.32 | 0.32 | 2.1 | 0.03 |
| P17-1428 | 2017P-28 | 437380 | 6213065 | 665m | 135/-80 | NL Main | | 113.00 | 117.00 | 4.00 | 0.14 | 0.14 | 41.7 | 0.14 |
| | | | | | | | incl. | 261.70 | 268.00 | 6.30 | 0.18 | 0.18 | 2.4 | 0.12 |
| P17-1429 | 2017SB-04 | 437127 | 6213809 | 606m | 160/-55 | Sebakwe Recce | | 329.00 | 409.80 | 80.80 | 0.24 | 0.24 | 2.6 | 0.19 |
| | | | | | | | incl. | 370.00 | 398.00 | 28.00 | 0.47 | 0.47 | 3.5 | 0.30 |
| | | | | | | | incl. | 370.00 | 372.00 | 2.00 | 1.99 | 1.99 | 2.5 | 0.05 |
| P17-1430 | 2017NL-31 | 437125 | 6213242 | 545m | 135/-81 | New Subzone NL | | 235.50 | 288.20 | 54.20 | 1.36 | 1.09* | 3.1 | 0.20 |
| | | | | | | | incl. | 261.00 | 280.50 | 19.50 | 3.33 | 2.57* | 3.5 | 0.07 |
| | | | | | | | incl. | 279.45 | 280.50 | 1.05 | 48.40 | 34.29* | 19.7 | 0.07 |
| P17-1431 | 2017SB-02 | 437507 | 6213417 | 668m | 135/-89 | Sebakwe Recce | | 111.30 | 113.30 | 2.00 | 6.11 | 6.11 | 125.0 | 0.12 |
| | | | | | | | also | 130.80 | 158.50 | 15.80 | 0.10 | 0.10 | 90.6 | 0.22 |
| | | | | | | | also | 193.50 | 233.70 | 40.20 | 0.28 | 0.28 | 2.1 | 0.38 |
| | | | | | | | incl. | 196.00 | 206.00 | 10.00 | 0.59 | 0.59 | 2.2 | 0.01 |
| P17-1432 | 2017P-19 | 437175 | 6212760 | 660m | 135/-64 | Upper NL- Premier | | 221.50 | 248.60 | 27.10 | 0.27 | 0.27 | 7.4 | 0.03 |
| | | | | | | | also | 267.10 | 272.45 | 5.35 | 0.78 | 0.78 | 20.4 | 0.24 |
| P17-1433 | 2017P-19 | 437175 | 6212760 | 660m | 135/-75 | Upper NL- Premier | | 216.45 | 234.80 | 18.35 | 0.93 | 0.93 | 20.4 | 0.04 |
| | | | | | | | incl. | 228.00 | 234.80 | 6.80 | 2.19 | 2.19 | 32.6 | 0.10 |
| | | | | | | | incl. | 233.65 | 234.80 | 1.15 | 7.74 | 7.74 | 85.9 | 0.24 |
| P17-1434 | 2017P-19 | 437175 | 6212760 | 660m | 135/-82 | Upper NL- Premier | | 232.10 | 263.95 | 31.85 | 0.22 | 0.22 | 7.2 | 0.21 |
| | | | | | | | incl. | 254.20 | 257.40 | 3.20 | 0.68 | 0.68 | 28.5 | 1.40 |
| P17-1435 | 2017P-27 | 437350 | 6213060 | 665m | 135/-89 | NL Upper | | 126.50 | 137.15 | 10.65 | 0.12 | 0.12 | 13.3 | 0.05 |
| | | | | | | | also | 285.10 | 295.30 | 10.20 | 0.27 | 0.27 | 2.2 | 0.07 |
| P17-1436 | 2017NL-22 | 437250 | 6213250 | 572m | 135/-59 | NL Main | | 211.34 | 275.00 | 63.66 | 0.86 | 0.86 | 4.7 | 0.12 |
| | | | | | | | incl. | 211.34 | 225.45 | 14.11 | 2.77 | 2.77 | 12.0 | 0.12 |
| | | | | | | | incl. | 211.34 | 213.00 | 1.66 | 7.34 | 7.34 | 16.2 | 0.02 |
| | | | | | | | incl. | 224.09 | 225.45 | 1.36 | 14.00 | 14.00 | 24.6 | 0.54 |
| P17-1437 | 2017NL-22 | 437250 | 6213250 | 572m | 135/-71 | NL Main | | 218.85 | 254.50 | 35.65 | 0.40 | 0.40 | 3.6 | 0.19 |
| | | | | | | | incl. | 240.40 | 247.90 | 7.50 | 1.15 | 1.15 | 4.2 | 0.42 |

. (*) samples cut to 1opt or 34.29 g/t Au.