

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1470	2017NL-16	437000	6213070	527m	135/-48	Ben Subzone			260.00	330.40	70.40	0.47	0.47	2.5	0.08
								incl.	300.00	329.00	29.00	0.73	0.73	3.1	0.14
								incl.	319.50	329.00	9.50	1.23	1.23	3.5	0.11
P17-1471	2017NL-16	437000	6213070	527m	135/-60	Ben Subzone			230.00	240.45	10.45	0.39	0.39	3.7	0.15
								also	289.20	341.00	51.80	0.45	0.45	3.6	0.17
								incl.	326.00	333.00	7.00	0.89	0.89	4.9	0.13
P17-1472	2017P-31	437340	6212875	680m	225/-71	Upper NL			190.00	259.50	69.50	0.61	0.61	4.1	0.1
								incl.	220.00	248.00	28.00	0.96	0.96	3.6	0.09
								incl.	220.00	222.00	2.00	6.08	6.08	12.8	0.3
								incl.	238.00	242.00	4.00	1.82	1.82	2.9	0.05
P17-1473	2017NL-26	437050	6212880	615m	135/-77	Ben Subzone			177.00	201.40	24.40	0.59	0.59	2.9	0.1
								incl.	185.00	188.90	3.90	2.18	2.18	1.9	0.16
								incl.	185.00	186.80	1.80	3.51	3.51	1.8	0.05
								also	264.00	319.13	55.13	0.52	0.52	4.7	0.18
								incl.	274.00	288.00	14.00	1.11	1.11	5.5	0.29
								incl.	278.00	279.90	1.90	3.50	3.50	9.1	0.43
P17-1474	2017NL-26	437050	6212880	615m	135/-67	Ben Subzone			200.00	298.71	98.71	0.49	0.49	5	0.15
								incl.	272.00	287.57	15.57	1.21	1.21	14.5	0.25
								incl.	280.50	286.00	5.50	1.98	1.98	12.3	0.22
P17-1475	2017ME-03	435960	6220539	1091m	270/-50	Martha Ellen S			163.12	170.50	7.38	0.28	0.28	36.3	0.2
								also	320.15	334.00	13.85	0.17	0.17	2.5	0.18
P17-1476	2017NL-30	436845	6213045	450m	135/-50	NL-Main			260.00	307.50	47.50	0.45	0.45	3.7	0.18
								incl.	275.50	289.50	14.00	0.86	0.86	4.5	0.21
P17-1477	2017NL-30	436845	6213045	450m	135/-56	NL-Main	Hit Adit		NSV						
P17-1478	2017NL-30	436845	6213045	450m	135/-67	NL-Main			221.30	274.80	53.60	0.40	0.40	8.4	0.61
								incl.	224.10	227.50	3.40	1.71	1.71	62.6	3.95
								also	285.30	295.00	9.70	0.41	0.41	1.5	0.08
P17-1479	2017P-29	437395	6213098	665m	135/-89	Upper NL			238.80	267.95	29.15	0.60	0.60	7.3	0.36
								incl.	239.90	243.35	3.45	2.36	2.36	25.3	0.24
P17-1480	2017P-29	437395	6213098	665m	135/-76	Upper NL			225.20	234.40	9.20	0.22	0.22	6.5	0.08
P17-1481	2017P-29	437395	6213098	665m	135/-60	Upper NL	Tert. Dykes		NSV						
P17-1482	2017NL-28	436922	6212927	525m	135/-54	Prew Subzone			190.40	199.00	8.60	2.61	2.61	8.1	0.45
								incl.	194.00	197.85	3.85	5.59	5.59	13.4	0.72
								incl.	194.00	195.00	1.00	12.55	12.55	20.9	0.35
								also	223.90	279.50	55.60	0.67	0.67	4.3	0.36
								incl.	233.00	249.00	16.00	1.04	1.04	7	0.78
								incl.	245.00	247.00	2.00	2.58	2.58	7.1	0.73

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1483	2017NL-28	436922	6212927	525m	135/-62	Prew Subzone			204.91	270.00	65.09	0.85	0.85	5.4	0.44
								incl.	238.09	257.00	18.91	1.89	1.89	12	1.2
								incl.	238.09	239.23	1.14	10.20	10.20	68	7.92
								incl.	256.00	257.00	1.00	18.55	18.55	19.9	0.1
P17-1484	2017NL-28	436922	6212927	525m	135/-70	Prew Subzone			209.00	289.82	80.82	0.68	0.68	6.9	0.48
								incl.	210.72	215.09	4.37	6.35	6.35	44.1	2.89
								incl.	211.94	213.00	1.06	21.70	21.70	153	9
								incl.	257.31	259.90	2.59	1.91	1.91	33.8	3.2
P17-1485	2017NL-28	436922	6212927	525m	135/-79	Prew Subzone			228.80	250.75	21.95	0.60	0.60	2.6	0.25
								incl.	230.30	234.25	3.95	1.64	1.64	2.4	0.17
								also	264.20	292.95	28.75	1.71	1.71	10.2	0.89
								incl.	274.75	285.70	10.95	4.13	4.13	20.7	1.85
								incl.	278.75	283.70	4.95	7.63	7.63	23.8	2.2
								incl.	278.75	279.75	1.00	20.20	20.20	53.4	5.64
P17-1486	2017ME-03	435960	6220539	1091m	270/-80	Martha Ellen S			87.20	89.00	1.80	1.21	1.21	15.2	0.14
								also	271.00	277.06	6.06	0.84	0.84	9.3	0.04
P17-1487	2017NL-30	436845	6213045	415m	135/-73	NL-Main			228.00	244.00	16.00	1.66	1.66	26.1	1.59
								incl.	232.00	240.50	8.50	2.95	2.95	46.9	2.7
								incl.	234.00	236.30	2.30	8.94	8.94	130.5	6.84
P17-1488	2017ME-03	435960	6220539	1091m	090/-50	Martha Ellen S			133.00	141.00	8.00	0.27	0.27	14.1	0.03
								also	172.50	199.62	27.12	0.49	0.49	10	0.05
								incl.	189.00	194.00	5.00	1.47	1.47	18.5	0.08
								incl.	193.00	194.00	1.00	4.43	4.43	49.6	0.3
P17-1489	2017NL-26	437050	6212880	615m	045/-79	NL-Main			300.84	383.50	82.66	0.47	0.47	4	0.18
								incl.	345.00	356.00	11.00	1.68	1.68	9.1	0.49
								incl.	354.00	356.00	2.00	5.74	5.74	22.8	0.67
P17-1490	2017NL-26	437050	6212880	615m	045/-70	NL-Main			335.20	370.94	35.74	0.91	0.91	3.4	0.17
								incl.	349.00	365.00	16.00	1.51	1.51	3.6	0.19
								incl.	349.00	351.00	2.00	6.35	6.35	3.4	0.31
P17-1491	2017NL-30	436845	6213045	415m	135/-79	NL-Main			236.40	247.90	11.50	0.80	0.80	9.8	0.75
								incl.	245.00	247.90	2.90	2.06	2.06	26.6	2.52
								also	263.40	274.85	11.45	0.31	0.31	3.3	0.16
P17-1492	2017NL-33	437164	6213270	545m	135/-51	Prew Subzone			256.80	299.20	42.40	1.51	1.51	3.9	0.15
								incl.	282.00	299.20	17.20	2.74	2.74	3.4	0.14
								incl.	294.00	299.20	5.20	7.27	7.27	6.2	0.23
								incl.	294.00	296.00	2.00	13.70	13.70	10.6	0.39
P17-1493	2017NL-33	437164	6213270	545m	135/-59	Prew Subzone			242.50	285.22	42.72	2.41	2.12*	8.5	0.2
								incl.	242.50	244.30	1.80	6.51	6.51	113	1.45
								incl.	278.78	283.00	4.22	15.90	12.96*	7.4	0.32

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	279.78	280.79	1.00	46.70	34.29*	8.2	0.36
P17-1494	2017NL-33	437164	6213270	545m	135/-64	Prew Subzone			243.65	282.30	38.65	1.31	1.31	5.8	0.32
								incl.	255.20	276.20	21.00	2.08	2.08	6.7	0.4
								incl.	255.20	256.70	1.50	10.75	10.75	13.5	0.26
								incl.	268.70	276.20	7.50	2.61	2.61	9.9	0.43
P17-1495	2017ME-2	435947	6220669	1064m	0/-55	Martha Ellen Recce			333.18	338.00	4.82	1.13	1.13	48.9	0.15
								incl.	337.00	338.00	1.00	5.01	5.01	71.7	0.54
P17-1496	2017NL-24	437050	6212970	605m	135/-83	Ben Subzone			295.30	309.00	13.70	0.39	0.39	8.5	0.11
								incl.	299.05	300.05	1.00	2.38	2.38	3	0.01
								also	325.50	363.50	38.00	0.52	0.52	9.2	0.2
								incl.	343.80	352.35	8.55	0.82	0.82	2.3	0.09
P17-1497	2017NL-30	436845	6213045	450m	225/-62	NL West	Hit Adit		NSV						
P17-1498	2017NL-30	436845	6213045	450m	225/-68	NL West			213.50	271.50	58.00	1.59	1.59	52.2	3.43
								incl.	216.50	245.60	29.10	2.88	2.88	91	5.4
								incl.	216.50	231.90	15.40	3.85	3.85	90	5.09
								incl.	216.50	218.90	2.00	9.18	9.18	98.4	6.28
								incl.	225.90	226.90	1.00	9.55	9.55	602	4.32
								incl.	229.90	231.90	2.00	6.47	6.47	132.5	14.75
P17-1499	2017ME-2	435947	6220669	1064m	270/-60	Martha Ellen Recce			115.00	150.50	35.50	0.32	0.32	14.4	0.03
								incl.	132.51	139.00	6.49	0.73	0.73	18.2	0.05
P17-1500	2017NL-30	436845	6213045	450m	225/-58	NL West			177.00	235.00	58.00	1.20	1.20	5	0.76
								incl.	179.40	194.00	14.60	2.15	2.15	12.1	2.63
								incl.	179.40	187.00	7.60	3.52	3.52	16.5	3.67
								incl.	185.00	186.00	1.00	16.90	16.90	30.8	5.59
								incl.	228.40	231.00	2.60	8.63	8.63	2.5	0.15
P17-1501	2017NL-34	437105	6213200	535m	135/-54	Prew Subzone			262.00	337.11	75.11	0.75	0.75	5	0.13
								incl.	288.00	296.00	8.00	2.82	2.82	7.1	0.18
								incl.	288.00	290.00	2.00	8.89	8.89	14.6	0.41
								incl.	323.00	337.11	14.10	1.43	1.43	4.3	0.14
								incl.	335.00	337.11	2.11	3.91	3.91	6.8	0.22
P17-1502	2017NL-34	437105	6213200	535m	135/-63	Prew Subzone			279.70	317.75	38.05	0.43	0.43	3.2	0.14
								incl.	283.90	289.80	5.90	0.96	0.96	7.4	0.34
P17-1503	2017NL-34	437105	6213200	535m	135/-69	Prew Subzone			263.45	326.70	63.25	0.90	0.90	3.6	0.19
								incl.	279.19	293.30	14.11	1.88	1.88	6.7	0.4
								incl.	285.29	286.50	1.21	7.59	7.59	19.2	1.23
								incl.	308.50	319.00	10.50	1.67	1.67	3.2	0.16
								incl.	316.00	317.50	1.50	6.18	6.18	5.8	0.21
P17-1504	2017NL-34	437105	6213200	535m	135/-76	Prew Subzone			245.30	317.40	72.10	1.14	1.14	8	0.15
								incl.	268.35	271.35	3.00	5.76	5.76	11.4	0.78

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								incl.	270.35	271.35	1.00	11.40	11.40	18.6	1.04
								incl.	298.35	306.20	7.85	5.13	5.13	6.2	0.24
								incl.	299.85	303.15	3.30	11.21	11.21	6.4	0.23
P17-1505	2017NL-32	437180	6213290	550m	135/-52	Prew Subzone			263.55	309.68	46.13	1.19	1.19	3.3	0.13
								incl.	272.50	274.00	1.50	3.02	3.02	4.5	0.14
								incl.	294.70	309.68	14.98	2.66	2.66	4.7	0.19
								incl.	294.70	297.70	3.00	7.33	7.33	5.4	0.21
P17-1506	2017NL-32	437180	6213290	550m	135/-59	Prew Subzone			245.29	289.00	43.71	1.74	1.74	4	0.13
								incl.	269.00	275.00	6.00	10.57	10.57	11.7	0.25
								incl.	271.00	273.00	2.00	22.10	22.10	13.2	0.27
								also	301.47	320.00	18.53	1.08	1.08	3.2	0.13
								incl.	301.47	303.50	2.03	7.68	7.68	4.5	0.07
P17-1507	2017NL-32	437180	6213290	550m	135/-63	Prew Subzone			232.87	284.60	51.73	0.79	0.79	3.2	0.21
								incl.	266.20	281.60	15.40	1.85	1.85	4.2	0.26
								incl.	276.50	280.10	3.60	6.37	6.37	7.1	0.52
								incl.	278.90	280.10	1.20	12.40	12.40	14.6	1.15
P17-1508	2017NL-32	437180	6213290	550m	135/-72	Prew Subzone			234.10	295.35	61.25	1.21	1.21	3.3	0.14
								incl.	275.10	291.35	16.25	3.81	3.81	4.4	0.2
								incl.	285.00	291.35	6.35	8.54	8.54	4.5	0.11
								incl.	289.50	291.35	1.85	22.20	22.20	9.2	0.11
P17-1509	2017NL-27	437125	6213068	590m	125/-58	Ben Subzone			249.00	289.26	40.26	0.32	0.32	1.8	0.08
								incl.	253.40	256.00	2.60	1.65	1.65	8.3	0.59
P17-1510	2017NL-27	437125	6213068	590m	125/-63	Ben Subzone			258.20	342.60	84.40	0.79	0.79	5.3	0.17
								incl.	310.00	332.80	22.80	1.94	1.94	4.9	0.17
								incl.	321.00	329.00	8.00	2.94	2.94	7.7	0.26
								incl.	321.00	323.00	2.00	6.07	6.07	15.2	0.39
P17-1511	2017NL-27	437125	6213068	590m	125/-68	Ben Subzone			267.50	349.00	81.50	0.88	0.88	4.1	0.12
								incl.	282.35	311.30	28.95	1.53	1.53	3.6	0.09
								incl.	306.90	311.30	4.40	4.78	4.78	2	0.05
								incl.	306.90	308.45	1.55	8.61	8.61	2.7	0.04
P17-1512	2017NL-29	436930	6212965	525m	135/-60	Ben Subzone			213.00	246.00	33.00	1.64	1.64	4.4	0.39
								incl.	215.34	222.45	7.11	6.75	6.75	14	1.28
								incl.	221.00	222.45	1.45	20.60	20.60	11.5	2
								also	252.07	259.20	7.13	2.06	2.06	22	0.71
								incl.	252.07	256.00	3.93	3.35	3.35	28.8	0.87
								incl.	255.00	256.00	1.00	9.62	9.62	98.7	2.82
								also	271.00	311.00	40.00	0.47	0.47	2.4	0.09
								incl.	284.00	290.00	6.00	1.45	1.45	3.7	0.17
P17-1513	2017NL-29	436930	6212965	525m	135/-66	Ben Subzone	Hit Adit		225.95	228.15	2.20	7.37	7.37	83	9.24
P17-1514	2017NL-29	436930	6212965	525m	135/-83	Ben Subzone			244.15	266.50	22.35	0.42	0.42	1.6	0.15

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
								also	272.50	317.91	45.41	0.36	0.36	3.5	0.35
								incl.	284.45	285.45	1.00	2.22	2.22	52.6	7.69
P17-1515	2017NL-37	437052	6213120	525m	135/-50	Prew Subzone			274.00	341.30	67.30	0.62	0.62	2.6	0.08
								incl.	284.00	290.00	6.00	2.30	2.30	4.2	0.11
								incl.	331.01	339.80	8.79	0.93	0.93	2.6	0.08
P17-1516	2017NL-37	437052	6213120	525m	135/-60	Prew Subzone			77.95	82.90	4.95	1.34	1.34	5.6	0.1
								also	253.90	262.30	8.40	0.40	0.40	19	0.1
								also	294.75	350.50	55.75	0.58	0.58	3.3	0.18
								incl.	319.70	339.00	19.30	1.14	1.14	3.1	0.11
								incl.	333.00	339.00	6.00	1.97	1.97	3.4	0.12
P17-1517	2017NL-37	437052	6213120	525m	135/-70	Prew Subzone			96.00	100.00	4.00	0.56	0.56	45	0.03
								also	223.60	237.25	13.65	0.62	0.62	3.1	0.12
								also	278.20	359.20	81.00	0.63	0.63	6.5	0.16
								incl.	291.50	306.85	15.35	1.37	1.37	7.6	0.28
								incl.	303.05	306.85	3.80	3.69	3.69	12	0.67
								incl.	357.20	359.20	2.00	4.51	4.51	63.7	0.24
P17-1518	2017NL-37	437052	6213120	525m	135/-76	Prew Subzone			277.00	338.85	61.85	0.52	0.52	4.7	0.17
								incl.	299.50	312.55	13.05	1.01	1.01	4.1	0.2
								incl.	299.50	302.50	3.00	2.32	2.32	3.7	0.21
								incl.	329.20	334.06	4.86	0.97	0.97	6.5	0.29
P17-1519	2017ME-2	435947	6220669	1064m	90/-80	Martha Ellen Recce			196.52	204.96	15.48	0.28	0.28	1.4	0.04
								incl.	204.02	204.96	0.94	2.72	2.72	9.1	0.52
P17-1520	2017NL-6	436830	6213020	455m	212/-52	NL West			169.00	211.00	42.00	0.24	0.24	2.5	0.17
								incl.	182.00	184.90	2.90	1.10	1.10	4.9	0.46
P17-1521	2017NL-6	436830	6213020	455m	212/-65	NL West			175.00	200.00	25.00	0.52	0.52	6.8	0.53
								incl.	185.60	194.00	8.40	0.88	0.88	9.5	0.68
P17-1522	2017NL-6	436830	6213020	455m	212/-77	NL West			202.70	269.90	67.20	0.47	0.47	23.6	1.69
								incl.	223.00	251.00	28.00	0.73	0.73	49.1	2.8
								incl.	223.00	237.00	14.00	0.96	0.96	85.4	3.89
								incl.	223.00	225.50	2.50	2.21	2.21	129.6	7.71
P17-1523	2017ME-2	435947	6220669	1064m	90/-60	Martha Ellen Recce			187.00	195.00	8.00	0.29	0.29	3.9	0.04
								also	211.32	217.00	5.68	0.20	0.20	3.8	0.01
P17-1524	2017ME-1	436202	6220400	1130m	90/-55	Martha Ellen Recce			31.53	37.00	5.47	0.29	0.29	4.9	0.02
								also	102.17	152.50	50.33	0.42	0.42	32.5	0.09
								incl.	104.00	113.00	9.00	1.08	1.08	8.7	0.08
								incl.	131.00	137.94	6.94	0.37	0.37	180.6	0.16
P17-1525	2017P-32	437270	6213030	660m	135/-63	Ben Subzone			158.00	162.00	4.00	0.73	0.73	24.8	0.72
								also	227.00	310.10	83.10	0.22	0.22	3.2	0.09

Hole #	Pad #	UTM E	UTM N	Elevation	azimuth/dip	Zone	Comment		From m's	To m's	Width m's	Au (g/t)	Au Cut* (g/t)	Ag (g/t)	Zn %
P17-1526	2017P-32	437270	6213030	660m	135/-68	Ben Subzone			147.65	151.35	3.70	0.70	0.70	5.2	0.31
								also	235.00	254.00	19.00	0.27	0.27	5.6	0.14
								also	274.50	305.35	30.85	0.41	0.41	2.6	0.1
P17-1527	2017P-32	437270	6213030	660m	135/-74	Ben Subzone		pending							
P17-1528	2017NL-06	436830	6213020	455m	190/-63	Ben Subzone			172.40	195.02	22.62	0.39	0.39	7.3	0.64
								also	209.50	214.43	4.93	0.62	0.62	2.4	0.1
P17-1529	2017NL-06	436830	6213020	455m	190/-86	Ben Subzone			180.50	182.50	2.00	7.49	7.49	11	0.16
								also	242.13	273.38	31.25	1.33	1.28*	7.4	0.72
								incl.	242.13	247.00	4.87	7.37	7.06*	30.6	3.62
								incl.	242.13	243.00	0.87	36.00	34.29*	80.3	5.42
P17-1530	2016NL-27	437125	6213068	590m	135/-55	Ben Subzone		pending							
P17-1531	2017ME-1	436202	6220400	1130m	315/-45	Martha Ellen Recce			164.35	184.40	20.05	0.21	0.21	4.5	0.02
								also	211.90	235.85	23.95	0.18	0.18	8.8	0.02
								also	248.00	259.99	11.99	0.44	0.44	16.9	0.08
P17-1532	2016NL-27	437125	6213068	590m	135/-61	Ben Subzone			257.00	265.00	8.00	0.28	0.28	1.7	0.07
								also	274.70	331.13	56.43	0.89	0.89	2.7	0.07
								incl.	299.00	311.50	12.50	1.66	1.66	4.2	0.08
								incl.	324.00	330.00	6.00	2.82	2.82	5	0.15
P17-1533	2016NL-27	437125	6213068	590m	135/-67	Ben Subzone			274.00	341.80	67.80	1.58	1.02*	2.8	0.07
								incl.	316.00	340.30	24.30	3.71	2.16*	3.4	0.06
								incl.	338.30	339.30	1.00	71.90	34.29*	32	0.25

(*) samples cut to 1opt or 34.29 g/t Au.